

...STYLES


...STYLES

Below we show some of the typefaces supplied with Step Press

This is the **CLASSIC** typeface
 This is the **GOODBODY** typeface
 This is the **WILLOWEST** typeface
 This is the **WILLOWEST** typeface
 This is the **SECRET** typeface
 This is the **US-SPORT** typeface
 This is the **FUTURE** typeface

TYPEFACES

THE VERY BIG COMPANY LTD



EASIGRAPH

FOR FURTHER DETAILS ON THE FULL AMX RANGE CONTACT:-

ADVANCED MEMORY SYSTEMS LTD
 166-70 Widlerspool Causeway
 WARRINGTON WA4 6QA
 TEL. 0925 413501 TELEX. 628672 AMS G

**FOR THE
 AMSTRAD PCW
 8256+8512**

**MAKE THE NEWS
 WITH STOP PRESS**

From our man in Newbury - Peter Turk

Advanced Memory Systems Ltd have of course as the machine Stop Press launched a new desktop publishing runs on its wordprocessor we have System, called Stop Press, it has allowed you to load in Laserfont files been specially designed and written for which are formatted on the Page Ally the Amstrad PCW8256 and 8512 by automatically. The different text styles of the original, features of the PC processed by Stop Press. Hence Micro version, it has been radically revised, underlining, bolding, italics, and so on. New features include style can be used to enhance your high resolution typefaces, kerning, automatic text column production, very powerful graphics studio, automatic multiple printer dump, real time page scrolling and much more.



USERS GUIDE

Desktop Publishing

STOP PRESS

**NO PART OF THIS BOOK OR ACCOMPANYING
MAGNETIC MEDIA MAY BE REPRODUCED BY ANY
MEANS WITHOUT THE CONSENT OF THE AUTHORS
AND EXPRESS WRITTEN PERMISSION OF THE
PUBLISHERS, ADVANCED MEMORY SYSTEMS LTD.**

Conceived & designed by Alex Blok.
Written by Neil Lee.

PUBLISHED BY

**ADVANCED MEMORY SYSTEMS LIMITED,
166 - 170, WILDERSPOOL CAUSEWAY,
WARRINGTON, CHESHIRE, WA4 6QA.,
ENGLAND.**

TEL : WARRINGTON (0925) 413501

CONTENTS

CONTENTS

CHAPTER 1 - GETTING STARTED.

SECTION 1 - Introduction.

- How to use this manual. 1.1
- Note for PC 8512 and expanded PCW 8256 users. 1.2

SECTION 2 - You Should Have....

2

SECTION 3 - You Will Need.....

3

SECTION 4 - Points to note.

- Making a backup copy of STOP-PRESS 4.1
- Keep the disks 'write protected'. 4.2
- Looking after your disks. 4.3
- Using lots of text ? 4.4
- Controlling STOP-PRESS 4.5
- AMX mouse users. 4.5.1
- The X,Y lock keys. 4.5.1.1
- Keyboard users. 4.5.2

SECTION 5 - Lets go!

SECTION 6 - The User interface and Page System

- The CONTROL PANEL. 6.1
- Activating the control panel. 6.1.1
- The page title window. 6.1.2.1
- The VERSION window. 6.1.2.2
- The MODE icons. 6.1.2.3
- The CONTROL area. 6.1.2.4
- The INK COLOUR and GHOSTING icons. 6.1.2.5
- The GRID REFERENCE bars. 6.1.2.6
- Selecting a drive number. 6.1.3
- Direct punch in. 6.1.4

SECTION 7 - Dialogue boxes.

- Filing dialogue boxes. 7.1
- Full filing dialogue boxes. 7.1.1
- The PAGE. 7.2
- Scrolling the page. 7.2.1
- The Page Access Window (PAW). 7.2.2
- Scrolling the page in one plane only. 7.2.3

Acknowledgements.

Thanks to:

Joe Lavery, John Simpson, Roger Smith & Dominique Watson for the *Clip-Art*,
Mark Pickavance for the typefaces,
Gary Allen for the concept behind the 'Slip & Slide' facility.

Many thanks also to the following for their invaluable technical help:

Paul Grabinar for his UNIX expertise, Marcus Sharp of Rombo Productions, Amstrad Consumer Electronics.

Design, User interface, Specification, On-screen Graphic Design, User Guide text and Illustrations,

© 1987 Alex Blok/Tecnation.
Program code

© 1987 Neil Lee/Tecnation.
Slip & Slide', 'Autoflow', 'CID', '3D-Aid', 'Ghosting', 'Cutouts' & 'EasiGraph' concepts

© 1987 Tecnation.

(On Screen graphic design, Alex Blok, using BBC Stop Press, Illustrations in this book, PCW Stop Press)

User Guide:

Layout & Typesetting : Catalyst (CC) Ltd., Warwick.

Printing : Sharpblade Ltd., Stockport.

STOP PRESS ©1987 ADVANCED MEMORY SYSTEMS LTD.

*AMSTRAD is a Registered Trademark of Amstrad Consumer Electronics Plc.,
LocoScript©Locomotive Software.

CHAPTER 2 - STOP-PRESS REFERENCE

SECTION 1 - The FILING mode.

Page Filing.	1.1
LOADING pages.	1.1.1
SAVING pages.	1.1.2
What if the disk is full ?	1.1.2.2
CANVAS FILING.	1.2
LOADING a canvas.	1.2.1
SAVING the canvas area.	1.2.2
CUTOUT filing.	1.3
LOADING cutouts.	1.3.1
GHOSTING cutouts.	1.3.1.1
Selecting GHOSTING.	1.3.1.2
HOW USEFUL ARE CUTOUTS ?	1.3.1.3
Clip art	1.3.1.4
Saving Cutouts.	1.3.2
DELETING FILES.	1.4

SECTION 2 - The PASTE mode.

Making a frame around the area to be pasted.	2.1
The shadow option.	2.1.1
Scrolling and pasting.	2.1.2
Continuous Pasting.	2.1.3
Ghosting.	2.1.4
Using the 'GRIDLOCK' with PASTE.	2.1.5
COPY [C - 1].	2.2
Enlarge by a factor of 2 [C - 2].	2.3
Shrink by a factor of 2 [C - 3].	2.4
Variable Stretch [C - 4].	2.5
Resolution error patterns.	2.5.1
Rotate.	2.6
Rotating through 90 degrees.	2.6.1
Rotating through 180 degrees [C - 7]	2.6.2
Rotating through 270 degrees [C - 8]	2.6.3
Flip.	2.7
Flip top to bottom [D - 1].	2.7.1
Flip left to right [D - 2].	2.7.2
Slip and slide [D - 4].	2.8
Smart Cut [D - 8].	2.9
The SHADOW option [D - 6].	2.10

SECTION 3 - The TEXT mode.

The STOP-PRESS TYPEFACE system.	3.1
What is a typeface ?	3.1.1
Can the typeface size be adjusted ?	3.1.2
How many typefaces can be in memory ?	3.1.3
Can text from wordprocessors be used ?	3.1.4
Proportional spacing.	3.1.5
Kerning.	3.1.6
The TYPEFACE SIZE icon [F - 7].	3.2
An introduction to POINT sizes.	3.2.1
Selecting a POINT size.	3.2.2
Manually adjusting the typeface proportions.	3.2.3
Adjusting the character and line spacing.	3.2.4
Re-setting the size and spacing values.	3.2.5
The TYPEFACE DESIGNER [E - 7].	3.3
How the typeface designer works.	3.3.1
How to design a typeface.	3.3.2
TYPEFACE DESIGN LIMITATIONS.	3.3.2.1
SAVING a typeface [E & F - 8].	3.3.3
LOADING a typeface [F - 6].	3.4
Using the KEYBOARD to type [E & F - 1].	3.5
DELETING text.	3.5.1.1
DELETING a complete line of text.	3.5.1.2
Quitting from text entry.	3.5.1.3
The TEXT ENTRY CONTROL BAR ('TEC BAR').	3.5.2
The TEXT FORMAT control icons.	3.5.3
CENTRE justify.	3.5.3.1
JUSTIFY.	3.5.3.2
RAGGED LEFT.	3.5.3.3
RAGGED RIGHT.	3.5.3.4
LITERAL.	3.5.3.5
The TEXT STYLE control icons.	3.5.4
NORMAL style.	3.5.4.1
BOLD style.	3.5.4.2
ITALIC style.	3.5.4.3
UNDERLINE style.	3.5.4.4
BLOCK style.	3.5.4.5
MASK style.	3.5.4.6
The TYPEFACE SELECT icons.	3.5.5
The STOP-PRESS HEADLINE TYPEFACE.	3.5.5.1
The AMSTRAD typeface.	3.5.5.2
Kerning ON/OFF.	3.5.6

CONTENTS

- Turning the cross-hairs ON and OFF. 4.6.6
- Controlling the SHAPE line thickness. 4.6.7
- The PATTERN designer. 4.7
- Activating the pattern designer [I - 8]. 4.7.1
- The Pattern definer icons and Windows. 4.7.2
- The Defining Grid. 4.7.2.1
- The Defining Grid Facilities. 4.7.2.2
- The Pattern file display area (PFDA) . 4.7.2.3
- The Clip Board. 4.7.2.4
- Designing and Storing your own Patterns. 4.7.3
- Using patterns within STOP-PRESS. 4.8
- Selecting from the pattern designer store. 4.8.1
- Picking up a pattern from the canvas. 4.8.2
- Symbol positioning [G - 8]. 4.8.3

SECTION 5 - THE EASIGRAPH MODE.

- Differences between Graph Types. 5.1
- Entering the graph data. 5.2
- Entering the Y-axis scale numbers. 5.2.1
- Selecting the X-axis scale type. 5.2.2
- Inputting the X-axis text labels. 5.2.3
- Inputting the Y-axis values. 5.2.4
- Data TYPE restrictions. 5.2.5
- The 3 different Easigraph graph types 5.3
- Pie chart [J - 2]. 5.3.1
- HISTOGRAM [J - 3]. 5.3.2
- LINE GRAPH [J - 4]. 5.3.3
- The Graph Effects options. 5.4
- The AUTO-PATTERN FILL option [J - 6]. 5.4.1
- The BACKDROP effect. 5.4.2

SECTION 6 - THE WINDOW MODE.

- WHAT IS A WINDOW ? 6.1
- WHAT ARE WINDOWS FOR ? 6.2
- DEFINING A WINDOW [K - 1]. 6.3
- How does a window affect text ? 6.3.1
- Inverting the Window [K - 2]. 6.4
- Bordering the window [K - 3] 6.5
- Bordering the Page [K - 4 & 5]. 6.6
- Clearing the Window [K - 6]. 6.7
- Clearing the Page [K - 7 & 8]. 6.8

CONTENTS

- TEXT FLOW CONTROL. 3.6
- Text COLUMN production. 3.6.1
- The CID (Column Identifier) System. 3.6.1.1
- AUTOFLOW. 3.6.2
- Mixing CID's and AUTOFLOW. 3.6.3
- Text OVERFLOW. 3.6.4
- More on CID's. 3.6.5
- Producing different COLUMN widths. 3.6.5.1
- Producing more than 9 columns. 3.6.5.2
- Turning OFF all the CID's. 3.6.5.3
- LOADING TEXT from disk [E & F - 3]. 3.7
- Which Wordprocessors can be used ? 3.7.1
- LOADing text from a Wordprocessor file. 3.7.2
- Wordprocessor text file overflow. 3.7.3
- Continuing to LOAD an open text file. 3.7.4
- Closing the text file. 3.7.5

SECTION 4 - The GRAPHICS mode.

- UNDOing mistakes. 4.1
- Spraying. 4.2
- The BRUSH spray [G - 1]. 4.2.1
- The MIST spray [H - 1]. 4.2.2
- SPRAY SIZE/LINE THICKNESS control. 4.2.3
- PAINTING [I - 1]. 4.3
- Quitting from the PAINTING process. 4.3.1
- UNDO ing a painted area. 4.3.2
- The PATTERNS. 4.4
- Selecting from 'pattern designer store'. 4.4.1
- Shapes 4.5
- Drawing BOXES [G - 4]. 4.5.1
- Drawing TRIANGLES [H - 4]. 4.5.2
- Drawing CIRCLES [I - 4]. 4.5.3
- Drawing ELLIPSES [G - 5]. 4.5.4
- Drawing LINES [H - 5]. 4.5.5
- Producing RAYS. 4.5.5.1
- Using the 3D-Aid [I - 5]. 4.5.6
- The shape drawing optional effects. 4.6
- The OUTLINE Effect [G - 6]. 4.6.1
- The SOLID effect [H - 6]. 4.6.2
- The PAINTED effect [I - 6]. 4.6.3
- GHOSTING painted shapes. 4.6.3.1
- The dot pattern effect [G - 7]. 4.6.4
- Designing your own dot-pattern mask 4.6.5

